	1
Case Studies	
	<u> </u>
	1
Ryan Johnson	
• Ryan Johnson is a 7-year old African American male in the $2^{\rm nd}$ grade	
 Ryan was referred by his teacher for noncompliance and temper tantrums According to school staff Ryan sought adult attention in inappropriate ways Ryan exhibited behaviors such as out of seat, yelling, crying, & interrupting his 	
teacher by knocking classroom materials to the floor • A problem identification interview was conducted with Ryan's teacher • Ryan's teacher indicated that the above behaviors occurred multiple times during	
the school day • Ryan was diagnosed by his pediatrician as ADHD & is taking Concerta & Risperidol • School psychologist conducted 3 systematic observations	
- On task: 74% - Inattentive: 15% - Disruptive: 11%	
	1
Ryan Johnson	
Target Behaviors — Tantrums: Crying, leaving the classroom, running toward the street	
 Noncompliance: Failure to do what teacher asks within 10 seconds, work refusal, failure to follow directions Inappropriate Attention Seeking: Not raising had to ask questions, talking or blurting out, wandering 	
around the classroom, knocking things over Intervention Procedures School-Home Note + Contingency for Tantrum Behavior School-Home Note: Talking/out of seat with permission, asks for help when needed, stay calm when	
angry or sad, & classroom work completion Ryan received smiley face throughout school day for engaging in above behaviors If Ryan met his daily goal of smiley faces, he would get a reward at home	
 Supplemental Contingency: Contingency contract for not engaging in tantrum behavior (colored in a football on his desk: 1 football for each day of the week) Planned ignoring of inappropriate behavior & frequent praise for appropriate behavior 	

Ryan Johnson	
Results	
Baseline: Average 5 tantrums per week & failed to complete classwork Intervention: Over 3 weeks, reduced tantrums to 1 per week, noncompliance decreased to about 15%, & inappropriate attention seeking decreased to about	
10%	
	-
]
Lucy Smith	
 8 year-old African American female in 3rd grade Referred by teacher for noncompliance, work avoidance, & tantrum behaviors Teacher reported that Lucy kneels on floor, leaves the classroom, yells, & cries 3 systematic direct observations: 	
- On-task: 39% - Inattentive: 49% - Disruptive: 38% • Target Behaviors	
 Tantrums: Inappropriate attention seeking, leaving the classroom, pushing desk into other students Noncompliance: Failure to comply with teacher requests within 10 seconds, verbally or physically indicating she will not comply 	
Work Avoidance: Failure to complete tasks or only partially completing tasks Intervention Procedures Self monitoring chart: stays calm, follows teacher directions, & completes classwork (rated 0, 1, 2) over 30 minute time blocks The self-monitoring charts stays calm, follows teacher directions, & completes classwork (rated 0, 1, 2) over 30 minute time blocks.	
Frequent teacher praise for appropriate behavior Implemented daily over 3 weeks	
	<u> </u>
	_
Lucy Smith	
Results Target behaviors decreased dramatically from baseline:	
Noncompliance decreased to 0 by Day 14 Tantums: decreased to 0 by Day 10 Work Avoidance: decreased to 0 by Day 12	

	Mark Blackwell
 12 year 	r old white male in 6 th grade
 Teache aggress 	r referred him for yelling at teacher, verbal aggression, & physical sion
	plot analysis showed that these behaviors were most frequent in late g during unstructured classroom activities
FBA inc	ficated Mark's behaviors maintained by social attention
 Baselin 	e rate of aggressive behaviors averaged 15 occurrences
– Phy – Ver	Behaviors: sical Aggression: Hitting, kicking, slapping, biting, or pinching others bal Aggression: Negative comments, cursing others, verbal intimidation
– Noi – Poi	ntion Procedures contingent Reinforcement: Attention provided non-contingently every 20 minutes tt Systems: Earns a point for each 15 minute interval with absence of target behaviors er students place on interdependent group contingency or ignoring Mark's aggressive behaviors

Mark Blackwell

Results

- Aggressive behaviors decreased from baseline of 15 occurrences to 0 occurrences after 2 weeks of the intervention procedures
 Results indicated that function-based intervention was effective in eliminating aggressive behavior