


We're Living in a Worried World	
Every life has it's share of anxiety, worry, fear and dread	
M Northwestern Medicine	
M Northwestern Medicine	
do seen	



Unemployment



M Northwestern Medicine


Terrorism





Global Warming M Northwestern Medicine





Normal	Fears of Teens
	Carlon W
	医偏角

M Northwestern Medicine


Worries In Everyday Life

Scheduling activities for 3 kids
Bullying at school
How will my son do on the ACT?
Credit card debt
Sick pet
My hot water heater died
Caring for grandparents
Chronic illness
My son shags cigarettes...is he drinking?
Empty nest...kids leaving
Boomerang...kids returning

M Northwestern Medicine

The Professors Wife

Every life has it's share of anxiety, worry, fear and dread...even mine.



Twenty Lessons

Lesson #1
Lesson #2
Lesson #3
Lesson #3
Lesson #4
Lesson #5
Lesson #6
Lesson #6
Lesson #7
Lesson #7
Lesson #7
Lesson #8
Lesson #8
Lesson #8
Lesson #8
Lesson #8
Lesson #9
Lesson #10
Lesson #10
Lesson #11
Lesson #11
Lesson #11
Lesson #12
Lesson #12
Lesson #14
Lesson #15
Lesson #15
Lesson #16
Lesson #16
Lesson #17
Lesson #17
Lesson #18
Lesson #19
Lesson #10
Lesson

M Northwestern Medicine

Epidemiology

5-18% of all children and adolescents

80% of adults with anxiety disorders report anxiety symptoms prior to 18 years of age

High levels of comorbidity

Increased risk of anxiety, substance abuse, and depression in adulthood

Impaired academic, social, family functioning

Epidemiology

 GAD
 2-5%

 Social Anxiety
 3-18%

 Selective Mutism
 >1%

 Specific Phobias
 3-20%

 Separation Anxiety
 3-5%

 Panic
 1%

 PTSD
 6%

 OCD
 1-4%

M Northwestern Medicine

DSM-5 Anxiety Disorders

Separation Anxiety Disorder
Selective Mutism
Specific Phobia
Social Anxiety (Social Phobia)
Panic Disorder
Agoraphobia
Generalized Anxiety Disorder
Substance/Medication Induced Anxiety
Anxiety due to medical condition
Other specified anxiety
Unspecified anxiety

➤ OCD & Trauma-related now separate categories

M Northwestern Medicine

	_
Making the Diagnosis	
K-SADS-PL	
Anxiety Disorders Interview Schedule	
for DSM-IV (ADIS-C/P)	
M Northwestern Medicine	
Assessing Fears and Anxieties Observational Methods	
Observational Methods	
Behavioral Avoidance Tests (BATs)	
Parent / Teacher / Clinician Ratings	
Tarone 7 roadinor 7 diminoral 1 rating	
M Northwestern Medicine	
Assessing Fears and Anxieties	
Think-aloud procedures	
Thought-listing procedures	
Cartoons with "thought bubbles"	
Fear Thermometer	
M Northwestern Medicine	

Assessing Fears and Anxieties -Self Report Methods-	
Revised Children's Manifest Anxiety Scale (RCMAS)	
Fear Survey Schedule for Children (FSSC)	
Scale for Child Anxiety Related Emotional Disorders (SCARED)	
Social Phobia and Anxiety Inventory for Children (SPAI-C)	
Negative Affectivity Self-Statement Questionnaire (NASSQ)	
Spence Children's Anxiety Scale (SCAS)	
M Northwestern Medicine	
Assessment Instruments:	
Our Favorites	
Multidimensional Anxiety Scale for Children (MASC)	
Pediatric Anxiety Rating Scale (PARS)	
M Northwestern Medicine	
Lesson 1. AnxietyIt Works	
What exactly is anxiety?	
■ Based in Limbic system	
A normal, highly adaptive emotional state	
■ Facilitates response to a <i>perceived</i> threat	
M Northwestern Medicine	

The Adaptive Function of Anxiety

- Anxiety and fear have adaptive value
- Cognitive, perceptual and memory functions have evolved to direct adaptive action
- Facilitate avoidance of perceived threat


M Northwestern Medicine

Meet C. Elegans

Small nematode worm (roundworm)

Natural habitat: soil
Length: ~1 mm
Food: E.Coli


Life cycle: ~3 days



First multi-cellular organism to have its genome sequenced

M Northwestern Medicine

C. Elegans



Sydney Brenner (1927 -)

South African biologist

D.Phil from Oxford

Extensive work in molecular biology


Nobel Prize in 2002

Established <u>C. Elegans</u> as a model organism to study genetics and cell development.



In his honor, another worm was named *C. Brenneri*

M Northwestern Medicine



Heritability of Psychiatric Disorders Heritability Psychiatric Disorder Other conditions Language, Religion Zero Myocardial Infarction Breast Cancer, Hip Fracture, Personality Anxiety, Depression Bulimia 20-40% Blood Pressure, Adult Onset Diabetes, Plasma Cholesterol, Asthma 40-60% Alcohol, Drug Dependence 60-80% Schizophrenia, Bipolar Disorder Weight, Bone Density 80-100% Autism Height, Brain Volume M Northwestern Medicine

RDoC (Acute Threat-Fear) Domain: Negative Valence Systems = M Northwestern Medicine Lesson 2. Anxiety...The "Big A" Anxiety has 4 components 1. Affect Physiological, Cognitive 4. Behavioral Organizes perception, memory, & action M Northwestern Medicine

The Essence of Anxiety

- 1. Fearful Anticipation
- 2. Rumination, Worry
- 3. Vigilance
- 4. Autonomic Arousal
- 5. Avoidance

The Etiology of Anxiety

- 1. Genetics
- 2. Environment
- 3. Temperament (shy, inhibited, risk averse)
- 4. Cognition...the way we look at things and the way we cope

M Northwestern Medicine

Parents, Parenting & Child Anxiety

Family/parenting styles (inconsistent findings)

Mothers (intrusive involvement in situations with negative affect) (Hudson, Comer & Kendall, 2008)

Fathers (limited risk-taking play behavior; unpredictable, punitive, explosive) (Bogels et al, 2007; Hughes, Furr, Sood, Barmish, & Kendall, 2009)


M Northwestern Medicine

Brain Metabolism in OCD


Basal Ganglia (Caudate)

R. Anterior Cingulate

R Orbitofrontal Cortex



Learning Theories	
Classical conditioning (E/RP)	
Operant conditioning (contingency management)	
Vicarious or observational learning (modeling)	-
M Northwestern Medicine	
What works?	
Exposure Therapy	
Repeated, systematic exposure to feared stimuli	
 In vivo – situations, objects, places, people Interoceptive – sensations 	
Imaginal – images and memories	
M Northwestern Medicine	
	1
How is this done?	
Develop a hierarchy of progressively more anxiety	
producing items, events, stimuli	
Teach coping skills (i.e., cognitive, relaxation)	
Introduce graduated or intense exposure (flooding)	
Maintain exposure until habituation	
Clinician-, parent- and self-directed; practice in class and at home	



Exposure Therapy Works

Exposure-based therapies are highly effective for anxiety (e.g., Norton & Price, 2007; Hofmann & Smits, 2008)

Effective for:

- Panic
- PTSD
- OCD
- Specific Phobia
- Generalized Anxiety
- Social Anxiety

M Northwestern Medicine

Good, But Not Good Enough...


- Treatment refusal rate of 30% (Issakidis & Andrews, 2004)
- Treatment attrition rate of 15-30% (Haby et al., 2006)
- Treatment non-response / failure rate of 40-50% (L'Oerince et al 2013)
- Relapse / recurrence rate of 19-62% (Craske et al., 2006)

What can be done?

- Identify underlying mechanisms of action of exposurebased treatments for anxiety and fear
- 2. "Optimize" exposure-based learning
- 3. Develop additional strategies for reducing relapse and recurrence

M Northwestern Medicine

Exposure and Response Prevention (E/RP) (Foa & Kozak, 1986; Foa & McNally, 1996) Within session Habituation No Response Threat Meaning M Northwestern Medicine



Central Role of Habituation


The accepted standard---"Stay in the situation until your fear subsides"

The questions--ls fear reduction actually predictive of clinical improvement? Treatment outcome?

M Northwestern Medicine

FEAR REDUCTION DURING EXPOSURE

Subjective and physiological symptoms typically **habituate** across 30 minute exposure trials



M Northwestern Medicine

Inconsistent Results

- + Positive findings 3 studies - methodological limitations (e.g., Beckham et al., 1990)
- No relationship or negative findings
 4 studies, 2 methodological limitations
 (e.g., Kozak et al., 1988; Pitman et al., 1996)

Poor predictor of outcome (Baker et al., 2010; Kircanski et al., 2012; Culver et al., 2012) Partial Regression Plot Dependent Variable: BAT3_avg_initial_suds_246 BAT3_avg_initial_suds_246 WSH_PeaktoLast_avg

Distinguish "Expression" from "Learning" M. Craske

Learning (non-emotional):

• Performance during instruction not a reliable index of learning (Bjork & Bjork, 2006)

Extinction learning (emotional):

- · Fear reduction during or at end of extinction training does not predict responding upon re-test

 - Animal studies (Rescorla, 2006; Plendl, Wolfgang et al., 2010)


 - Human studies (Prenoveau, Craske et al., 2013)

M Northwestern Medicine

Mechanisms of Extinction Learning

Formation of inhibitory associations (Bouton, 1993)

- Original CS-US association not erased but is left intact
- Secondary inhibitory CS-noUS association is formed and competes with original association



Mechanisms of Extinction Learning

Neural mechanisms (Shin & Liberzon, 2010)


- · Fear acquisition involves amygdala activation
- Fear extinction involves vmPFC activation, hypothesized to downregulate amygdala

N=10 healthy controls

vmPFC activation during extinction
recall of CS+ vs CS- (t=3.20, p<.05)

vmPFC negatively correlated with
amygdala activity (r=-.85, p<.05)

(Burklund, Nusslock & Craske, 2011)



M Northwestern Medicine

Anxiety Disorders: A deficit in Inhibition M. Craske

Anxiety disorders characterized by:

- Elevated excitatory learning, amygdala activation (Lissek et al., 2005; Craske et al., 2008; Milad et al., 2009)
- Deficits in inhibitory learning, deficits in vmPFC (Lissek et al., 2005; Craske et al., 2008; Jovanovic et al., 2010; Milad et al., 2009)
- Deficits in safety learning (Craske et al., 2009; Craske et al., 2012; Liao & Craske, 2012)

M Northwestern Medicine

Craske Inhibitory Learning Paradigm

To strengthen inhibitory learning:

- 1. Violate expectancies
- 2. Wean safety cues and behaviors
- 3. Consolidate learning
- 4. Teach inhibitory regulation; affect labeling
- 5. Increase variability of stimulus and emotion
- 6. Consolidation scheduling
- 7. Change context, offset retrieval cues


What Can Be Done? Improve Inhibitory Learning, Violate Expectancies

- Mismatch between expectancy and outcome, violation of expectancy by surprise (Rescorla & Wagner, 1974)
- ✓ The more the expectancy can be aroused and violated, the greater the learning
- ✓ "Always be open to the power of the unexpected!"
- ✓ How can you do this with your students?

M Northwestern Medicine

Rescorla & Wagner Extinction Curve

Typical Extinction Curve




Eventually the learning curve asymptotes and prevents any further learning from occurring

• There is no more surprise!

M Northwestern Medicine

Rescorla & Wagner Extinction - Repeated



 Once the extinction curve begins to asymptote, add a second CS to inflate US expectancy and enhance learning on subsequent trials

To Improve Inhibitory Learning: Violate Expectancies Deepened extinction (Rescorla, 2006) · Two CSs predict US • During extinction, present one CS, and then add second \checkmark Enhanced violation of expectancy if not just one but two CS that used to predict the US are not followed by the US M Northwestern Medicine Clinical Recommendation Include additional feared stimuli within a single exposure trial e.g., add physical sensations to exposure to in vivo situation e.g., modify the setting--driving in fast lane after driving in slow lane > How can you use this with your students? M Northwestern Medicine **Clinical Suggestion** Include occasional negative outcomes "It's OK, you'll get through it" e.g., add social rejections in exposures to social situations (e.g., "Everyone has someone who thinks they are an idiot!") e.g., add additional physical sensations during exposures to feared situations > How can you use this with your

students?

	_
Enhancing Learning of New Material	
To different construction of the other states and the states of the stat	
Traditional exposure-based treatments employ blocked trials with repeated practice, you simply repeat the exposure	
Random and variable practice enhances retrieval of newly learned information (Magill & Hall, 1990)	
➤ How can you use this with your students? How can you "mix it up"?	
W Northwestern Medicine	
]
Clinical Recommendation	
Variability in stimulus: enhances	
generalization and retrieval of new learning	
Variability in emotion : repeated opportunity to violate expectancies	
M Northwestern Medicine	
	1
Summary	
Extinction involves inhibitory learning and neural	
regulation	
Anxious individuals show deficits in inhibitory	
learning and regulation	
3. Improve exposure treatments by optimizing	
inhibitory learning and its retrieval (not just anxiety habituation)	
M Northwestern Medicine	

Wil	liam	Jar	nes



"The *first* fact for us... is that some form of thinking goes on."

M Northwestern Medicine

Lesson 3. We Overestimate Risk When We Are Afraid

Anxiety= $m{f}$ (impending threat) (impaired coping)

The specific nature of the fear will differ depending upon the perceived threat.

M Northwestern Medicine

Epictetus (c55 -c135)



-			_								
	ιh	ne	\vdash	n	\sim	n	п	rı	М	ın	r
		10	_						u	11.1	ш

"What disturbs men's minds is not events but their judgements on events. Death is nothing dreadful, or else Socrates would have thought it so. No, the only thing dreadful about it is men's judgement that it is dreadful. When we are hindered, or disturbed, or distressed, let us never lay the blame on others, but on ourselves, that is, on our own judgements....Ask not that events should happen as you will, but let your will be that events should happen as they do, and you shall have peace."

Epictetus

M Northwestern Medicine

Milton



"The mind is its own place, and in itself, can make a Heaven of Hell and a Hell of Heaven."

M Northwestern Medicine

William Shakespeare



"There is nothing either good or bad, but thinking makes it so."

Hamlet Act II, Scene II

	•
The Anxious Individual	
Cognitive contents incorporate themes of danger and vulnerability. They view the world as a dangerous place,	
and feel incapable of preventing or managing these risks. Threats may be physical, social, or psychological. Anxiety	
serves an adaptive function in preparing the individual to avoid threat.	
Anxiety= ∫ (perceived threat) (impaired coping)	
M Northwestern Medicine	
	1
Lesson 4.	
The Future is Uncertain	
The hardest lesson of all	
2. However much we would like a	
guarantee, we can't have it	
3. To feel secure, we must accept ambiguity	
N Northwestern Medicine	
	1
Lesson 5.	
Influence and Control	
Increased estimate of <u>likelihood</u>	
Increased estimate of <u>"awfulness"</u>	
Increased perception of responsibility	
M Northwestern Medicine	

Lesson 5. Influence and Control



Lesson 7. Perfectionism

Do you believe...

- For every problem there is a single, best solution?
- There's always room for improvement?
- Perfection can and should be pursued, no matter what the cost?
- One should expect the best, and settle for nothing less?

M Northwestern Medicine

Maniacal Perfectionism

"I'm a maniacal perfectionist. And if I weren't, I wouldn't have this company. .. It's the best rap! Nobody's going to fault me for that. I have proven that being a perfectionist can be profitable and admirable when creating content across the board: in television, books, newspapers, radio, videos. .. All that content is impeccable."

Martha Stewart (2000)



M Northwestern Medicine

Being Imperfect... is highly desirable

"Trying to be perfect may be sort of inevitable for people like us, who are smart and ambitious and interested in the world and in its good opinion. At one level it's too hard, and at another, it's too cheap and easy. It requires you mainly to read the zeitgeist of wherever and whenever you happen to be...and be the best of whatever the zeitgeist dictates or requires. When you're clever you can read them and do the imitation required. But nothing important, or meaningful, or beautiful, or interesting, or great ever came out of imitations. The thing that is really hard, and really amazing, is giving up on being perfect and beginning the work of becoming yourself.

Anna Quindlen (1999)

M Northwestern Medicine

Lesson 7. Perfect Solutions Don't Exist

- · Perfect doesn't exist, conceptually or in practice
- Perfectionism is highly correlated with both depression and anxiety
- Failure to meet "ideal" standards is associated with stress and guilt
- In a changing world, flexibility and creativity are more valuable than a relentless pursuit of perfection

	_
Lesson 8. Sometimes You Can Take Control	
"I should have seen this coming"	
"If only I had, we'd be OK"	
Perceptions of responsibility and control are linked to mood	
Did I actually <i>cause</i> this event? Did other factors contribute?	
How much "influence" do I actually have?	
M Northwestern Medicine	-
The state of the s	
Lesson 9. Don't Dwell on That	
Don't Dwell on That	
Rumination is common	
Content of thoughts similar in anxious and non-anxious individuals	
Secondary cognitions differ	
M Northwestern Medicine	
Intrusive Thoughts	
You just can't stop the	
flying monkeys!	
Hail Dorothy!	
Train Bollothy:	
M Northwestern Medicine	

Lesson 11. Worrying is Highly Overrated

- Many people believe that worrying is a good thing
- 2. 7 ± 2 Bits of Information
- 3. Two types—Productive and unproductive
- 4. Two solutions—Action plan and acceptance

M Northwestern Medicine

Steven King



Oh no! I've got to stop thinking that!

VS.

Buckets of blood at the prom. Cool! I'll write a screen play!

M Northwestern Medicine

Lesson 14. Evaluate Your Thoughts & Make Then Give Good Account of Themselves

- 1. What's the evidence?
- 2. Is there another, more adaptive, way of looking at this?
- 3. So what?
 - a) Decatastrophize everything. Is it really that big of a deal?
 - b) What can be done?

Downward Arrow	
1. I could, this would be catastrophic!	
3. 4. 5.	
6. 7.	
M Northwestern Medicine	
Lesson 19.	
Flow With the Current of Life	
"By letting it go, it all gets done But when you try and try, the world is beyond winning."	
Lao Tsu	
M Northwestern Medicine	

Go With The Flow of the River



Be Like a Stick



M Northwestern Medicine

Lesson 20. Live Wisely

- Judicious use of knowledge
- Open minded
- Altruistic, empathic
- Compassion
- Self-reflection
- Insight
- Tolerance
- · Awareness of larger issues

M Northwestern Medicine

The Road to Wisdom



Does CBT Work?

Review of 21 RCT's of CBT for childhood depression and anxiety indicates CBT is a "treatment of choice"

Compton, S. et al. (2004). Cognitive-behavioral therapy for anxiety and depressive disorders in children and adolescents: A evidence-based medicine review. <u>Journal of the American Academy of Child and Adolescent Psychiatry</u>, <u>43</u>: 930-959.

M Northwestern Medicine

Does CBT Work?

Review of 10 RCT's of CBT for child and adolescent anxiety indicates CBT is effective compared to no-treatment control.

Cartwright-Hatton, S. et al. (2004). Systematic review of the efficacy of cognitive behaviour therapies for childhood and adolescent anxiety disorders. <u>British Journal of Clinical Psychology</u>, 43: 421-436.

M Northwestern Medicine

Kendall (1994)

N=47 9-13 years old

CBT vs. Wait List Control

Treatment: 16 sessions of Coping Cat

Respondents: Self-report, parent, teacher

Measures: ADIS, RCMAS, STAIC, FSSC-R

Clinically significant improvement; Diagnosis free at 1 year

follow-up: 60% vs. 10%

Kendall, P. (1994). Treating anxiety disorders in children: Results of a randomized clinical trial. <u>Journal of Consulting and Clinical Psychology</u>, <u>62</u>: 100-110.

Kendal	l et al.	(1997)
Follow-	Up	, ,

N=94 9-13 years old

CBT vs. Wait List Control

Treatment: 16 sessions of Coping Cat

Respondents: Self-report, parent, teacher

Measures: ADIS, RCMAS, STAIC, FSSC-R

Clinically significant improvement; Diagnosis free at 1 year follow-up: 71% vs. 7%

Kendall, P. et al. (1997). Therapy for youths with anxiety disorders: A second randomized clinical trial. <u>Journal of Consulting and Clinical Psychology</u>, <u>65</u>: 366-380.

M Northwestern Medicine

Barrett, Dadds & Rapee (1996) Griffith University Study

n=79 7-14 years old

Separation anxiety disorder, overanxious disorder, social phobia

CBT, CBT + family management; wait list

Diagnosis free at post-test: 70% vs. 26% of waitlist

At 12 month follow-up 96% of Comb and 70% of CBT did not meet criteria

• JCCP 1996 64: 333-342

M Northwestern Medicine

POTS

Pediatric OCD Treatment Study

CBT; Sertraline (Zoloft); Combo; PBO

N=112 7-17 years old

Measure: YBÓCS


Multisite, double blind PBO controlled


- ➤ Results: 12 week Combo >CBT=Ser >PBO
- > Remission: Combo: 54%; CBT: 40%; Ser: 21%; PBO: 4%

 POTS Team (2004). Cognitive-behavior therapy, Sertraline, and their combination for children and adolescents with obsessive-compulsive disorder. JAMA, 292: 1969-1976.

CAMS: Drop Out by Treatment Condition

	Treatment Condition			
	сомв	SRT	CBT	PBO
Completed Study	128	112	134	61
Dropped Out	12 8.6%	21 15.8%	5 3.6%	15 19.7%
Total	140	133	139	76





Summary... What Works

- Keep in mind that anxiety works for you
 Think clearly. Keep problems in perspective
 Approach the things you fear
 Exposure, Exposure
 Active problem solving, solution-focused thinking
 Balance active coping with mindful acceptance
- Balance active coping with mindful acceptance
 Take the long view, the larger view
 Live with faith, hope, and equanimity

M Northwestern Medicine

Keep Calm and Carry On





M Northwestern Medicine

Questions?	
M Northwestern Medicine	
Thank You!	
THAIR TOU.	
M Northwestern Medicine	